| 1 | | Claims |
|----|----|-----------------------------------------------------------------------------------|
| 2 | | |
| 3 | | What is claimed is: |
| 4 | | |
| 5 | 1. | An isolated polypeptide having viral activity comprising a polypeptide sequence |
| 6 | | selected from the group consisting of: |
| 7 | | (a) the polypeptide sequence of Figure 11 (cW985); |
| 8 | | (b) biologically active modifications of (a); and |
| 9 | | (c) biologically active fragments of (a). |
| 10 | | |
| 11 | 2. | The isolated polypeptide of claim 1 wherein said polypeptide sequence is the |
| 12 | | polypeptide sequence of Figure 11 (cW985). |
| 13 | | |
| 14 | 3. | The isolated polypeptide consisting essentially of the polypeptide sequence of |
| 15 | | Figure 11 (cW985). |
| 16 | | |
| 17 | 4. | The isolated polypeptide of claim 3 wherein said isolated polypeptide comprises |
| 18 | | the polypeptide sequence of Figure 11 (cW985) except for one or more |
| 19 | | conservative amino acid substitutions. |
| 20 | | |
| 21 | 5. | The isolated polypeptide consisting of the polypeptide sequence of Figure 11 |
| 22 | | (cW985). |
| 23 | | |
| 24 | 6. | The isolated polypeptide of claim 1 wherein said isolated polypeptide comprises a |
| 25 | | sequence at least 99% identical to the polypeptide sequence of Figure 11 |
| 26 | | (cW985). |
| 27 | | |
| 28 | 7. | The isolated polypeptide of claim 1 wherein said isolated polypeptide comprises a |
| 29 | | sequence at least 95% identical to the polypeptide sequence of Figure 11 |
| 30 | | (cW985). |
| 31 | | |

| 1 | 8. The isolated polypeptide of claim 1 wherein said isolated polypeptide comprises a |
|----|----------------------------------------------------------------------------------------|
| 2 | sequence at least 90% identical to the polypeptide sequence of Figure 11 |
| 3 | (cW985). |
| 4 | |
| 5 | 9. The isolated polypeptide of claim 1 wherein said isolated polypeptide comprises a |
| 6 | sequence at least 85% identical to the polypeptide sequence of Figure 11 |
| 7 | (cW985). |
| 8 | |
| 9 | 10. The isolated polypeptide of claim 1 wherein said isolated polypeptide comprises a |
| 10 | sequence at least 80% identical to the polypeptide sequence of Figure 11 |
| 11 | (cW985). |
| 12 | , |
| 13 | 11. The isolated polypeptide of claim 1 wherein said isolated polypeptide comprises a |
| 14 | biologically active fragment of the polypeptide sequence of Figure 11 |
| 15 | (cW985) that displays viral activity. |
| 16 | |
| 17 | 12. The isolated polypeptide of claim 1 wherein said isolated polypeptide is a closely |
| 18 | related analog of the polypeptide sequence of Figure 11 (cW985), wherein |
| 19 | said analog displays viral activity. |
| 20 | |
| 21 | 13. The isolated polypeptide of claim 1 wherein said isolated polypeptide is an |
| 22 | antigenic analog of the polypeptide sequence of Figure 11 (cW985), wherein |
| 23 | said analog binds to an antibody specific for the polypeptide of Figure 11 |
| 24 | (cW985). |
| 25 | |
| 26 | 14. The isolated polypeptide of claim 1 wherein said isolated polypeptide is an N- |
| 27 | terminal fragment of the polypeptide of Figure 11 (cW985). |
| 28 | |
| 29 | 15. The isolated polypeptide of claim 14 wherein said N-terminal fragment comprises |
| 30 | at least 10 amino acids of the polypeptide of Figure 11 (cW985). |

| 1 | 16. The isolated polypeptide of claim 1 wherein said isolated polypeptide is a C- |
|----|--------------------------------------------------------------------------------------|
| 2 | terminal fragment of the polypeptide of Figure 11 (cW985). |
| 3 | |
| 4 | 17. The isolated polypeptide of claim 16 wherein said C-terminal fragment comprises |
| 5 | at least 10 amino acids of the polypeptide of Figure 11 (cW985). |
| 6 | |
| 7 | 18. The polypeptide of claim 1 wherein said polypeptide is fused to heterologous |
| 8 | sequence. |
| 9 | |
| 10 | 19. The polypeptide of claim 18 wherein said heterologous sequence is a scaffold. |
| 11 | |
| 12 | 20. The polypeptide of claim 19 wherein said scaffold is a fluorescent protein. |
| 13 | |
| 14 | 21. The polypeptide of claim 1 wherein said polypeptide is chemically modified. |
| 15 | |
| 16 | 22. The polypeptide of claim 21 wherein said polypeptide is radio labeled. |
| 17 | |
| 18 | 23. The polypeptide of claim 21 wherein said modification is selected from the group |
| 19 | consisting of acetylation, glycosylation, or fluorescent tagging. |
| 20 | |
| 21 | 24. The isolated polypeptide of claim 1 wherein said polypeptide is chemically |
| 22 | synthesized. |
| 23 | |
| 24 | 25. An isolated polynucleotide encoding a polypeptide of claim 1. |
| 25 | |
| 26 | 26. An isolated polynucleotide encoding a polypeptide of claim 1 wherein said |
| 27 | polypeptide encodes the polypeptide sequence of Figure 11 (cW985). |
| 28 | |
| 29 | 27. An isolated polynucleotide encoding a polypeptide of claim 3. |
| 30 | |
| 31 | 28. An isolated polynucleotide encoding a polypeptide of claim 4. |

| 1 | |
|----|-------------------------------------------------------------------------------------|
| 2 | 29. An isolated polynucleotide encoding a polypeptide of claim 5. |
| 3 | |
| 4 | 30. An isolated polynucleotide encoding a polypeptide of claim 6. |
| 5 | |
| 6 | 31. An isolated polynucleotide encoding a polypeptide of claim 7. |
| 7 | |
| 8 | 32. An isolated polynucleotide encoding a polypeptide of claim 8. |
| 9 | |
| 10 | 33. An isolated polynucleotide encoding a polypeptide of claim 9. |
| 11 | |
| 12 | 34. An isolated polynucleotide encoding a polypeptide of claim 10. |
| 13 | |
| 14 | 35. An isolated polynucleotide encoding a polypeptide of claim 14. |
| 15 | |
| 16 | 36. An isolated polynucleotide encoding a polypeptide of claim 16. |
| 17 | |
| 18 | 37. An isolated polynucleotide comprising the DNA sequence of Figure 11 (cW985). |
| 19 | |
| 20 | 38. An isolated polynucleotide consisting essentially of the DNA sequence of Figure |
| 21 | 11 (cW985). |
| 22 | |
| 23 | 39. An isolated polynucleotide consisting of the DNA sequence of Figure 11 |
| 24 | (cW985). |
| 25 | |
| 26 | 40. The isolated polynucleotide of claim 37 wherein said isolated polynucleotide |
| 27 | comprises a sequence at least 99% identical to said polynucleotide. |
| 28 | |
| 29 | 41. The isolated polynucleotide of claim 37 wherein said isolated polynucleotide |
| 30 | comprises a sequence at least 95% identical to said polynucleotide. |
| 31 | |

| 1 | 42. The isolated polynucleotide of claim 37 wherein said isolated polynucleotide |
|----|---------------------------------------------------------------------------------------|
| 2 | comprises a sequence at least 90% identical to said polynucleotide. |
| 3 | |
| 4 | 43. The isolated polynucleotide of claim 37 wherein said isolated polynucleotide |
| 5 | comprises a sequence at least 85% identical to said polynucleotide. |
| 6 | |
| 7 | 44. The isolated polynucleotide of claim 37 wherein said isolated polynucleotide |
| 8 | comprises a sequence at least 80% identical to said polynucleotide. |
| 9 | |
| 10 | 45. A vector comprising the polynucleotide of any one of claims 25, 26, 38 or 39. |
| 11 | |
| 12 | 46. The vector of claim 45, wherein said vector provides inducible expression. |
| 13 | |
| 14 | 47. A gene therapy vector comprising the polynucleotide of claims 25, 26, 38 or 39. |
| 15 | |
| 16 | 48. A host cell comprising the vector of claim 45. |
| 17 | |
| 18 | 49. A polynucleotide that hybridizes under stringent conditions to the polynucleotide |
| 19 | of any one of claims 25, 26, 38 or 39. |
| 20 | |
| 21 | 50. A method for producing a polypeptide having viral activity comprising culturing a |
| 22 | population of host cells of claim 48 under conditions suitable for the |
| 23 | expression of an encoded polypeptide and recovering expressed polypeptide |
| 24 | from the host cell culture. |
| 25 | |
| 26 | 51. A composition comprising the polypeptide of claims 1, 2, 3 or 5 in a |
| 27 | pharmaceutically acceptable carrier. |
| 28 | |
| 29 | 52. An antibody to the polypeptide of claims 1, 2, 3 or 5. |
| 30 | |

| 1 | 53. A method of identifying a cellular target that interacts with a polypeptide having |
|----|-----------------------------------------------------------------------------------------|
| 2 | viral activity, comprising the steps of exposing a polypeptide of claim Yto |
| 3 | putative target molecules and identifying a polypeptide/target interaction pair. |
| 4 | |
| 5 | 54. The method of claim 53 wherein said method is a yeast two-hybrid assay. |
| 6 | |
| 7 | 55. A method of screening for putative viral related therapeutics, comprising the steps |
| 8 | of: |
| 9 | a) exposing a polypeptide/target interaction pair obtained by the method of |
| 10 | claim 53 to a plurality of agents; and |
| 11 | b) recovering a subpopulation of disrupting agents which competitively |
| 12 | displace said polypeptide from said target; wherein said disrupting agents |
| 13 | are putative viral related therapeutics. |
| 14 | |
| 15 | 56. The method of claim 55, wherein said plurality of agents is a combinatorial |
| 16 | chemical library. |
| 17 | |
| 18 | 57. A method of treating a viral related condition, comprising the step of |
| 19 | administering a therapeutically effective amount of the polypeptide of claim 1 |
| 20 | or a pharmaceutically acceptable salt thereof. |
| | |